EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:44
L2	9693	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L3	45211	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L4	14	L3 same ((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L5	109191	((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L6	56423	(match$3 equat$3) near5 (latenc$3 rate lag $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L7	2158	L5 same L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L8	8	L3 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45

L9	83	buffer near5 programmable near3 depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L10	70	buffer near5 programmable near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L11	24	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L12	4	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling) same (overflow underflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:45
L13	278	buffer with programmable with depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L14	4	L13 and (content adj addressable adj memory (cam))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L15	173	buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L16	9693	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46

L17	5	L15 and L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L18	69	L9 same (intermed$5 between)	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/23 15:46
L19	3	L16 and L18	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/23 15:46
L20	45211	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L21	4151	L20 same (latenc$3 rate lag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L22	308	L21 same (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L23	3	L16 and L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L24	5	L22 and request same reply	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L25	118	buffer.clm. and programmable.clm. and depth.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46
L26	58	L25 and signal.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:46

L27	6	L26 and request.dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L28	1	L26 and reply.dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L29	108	request.dm. and reply.dm. and signal.dm. and buffer.dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L30	1	L29 and depth.dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L31	4	L29 and stages.dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L32	10556	(programmable adjustable dynamic) near4 (buffer fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L33	288	L32 with (depth width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
L34	725	L32 with (stage level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47

L35	24	L33 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:47
S1	220	(buffer memory queue fifo) with request with reply with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 11:33
S2	21649	(buffer memory queue fifo) with request with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:28
S3	4846	(buffer memory queue fifo) with (reply ack acknowledg$3) with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:27
S4	47368	(buffer memory queue fifo) with (request$3 demand$3 instruction command) near4 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:28
S5	1471	S3 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:28
S6	1249	S3 with S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:29
S7	208	second adj3 reply adj3 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:41

S8	22	S5 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:29
S9	2	S1 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:41
S10	451	second adj3 (reply acknowledge ack) adj3 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 17:41
S11	2	S1 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:03
S12	681	buffer with (between interconnected) with latency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:05
S13	1	S1 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:04
S14	19	S12 and lower adj latency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:08
S15	31	S12 and higher adj latency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:05

S16	1	S4 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:05
S17	4	"4,823,312".pn. "5,140,679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 18:08
S18	1060	cascad$3 near3 buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:43
S19	3	S18 same latency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 10:26
S20	2223	cascad$3 near3 (buffer memory queue fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:46
S21	28	S20 same latenc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:23
S22	3576	710/52-61.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:37
S23	9	S18 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:23

S24	161	S20 same (latenc$3 rate lag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:37
S25	4110	cascad$3 near3 (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:31
S26	327	S25 same (latenc$3 rate lag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:45
S27	7062	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:57
S28	12	S26 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:39
S29	420	cascad$4 with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:45
S30	1	S27 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:45
S31	49	S29 same (latenc$3 rate lag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:57

S32	24	S31 same (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:57
S33	68	(buffer memory queue fifo register) with equat $3 adj3 (latency rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:56
S34	6	S27 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:55
S35	2	S29 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 12:56
S36	42825	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:58
S37	4082	S36 same (latenc$3 rate lag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:58
S38	292	S37 same (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:57
S39	7062	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:57
S40	1	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:57

S41	11	S36 same ((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:24
S42	1	S37 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:21
S43	4	S36 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:21
S44	81475	((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:57
S45	42552	(match$3 equat$3) near5 (latenc$3 rate lag $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:25
S46	1555	S44 same S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:25
S47	93	S39 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:25
S48	1	S36 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:25

S49	6	S36 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:26
S50	1197	S44 with S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:57
S51	4	S50 with adjacent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:57
S52	42	S50 with (sequential$3 successive cascad$3 chain$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:04
S53	150	S50 with (between interconnect$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:04
S54	7	S50 with (between interconnect$3) near (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:05
S55	89	S50 with (between interconnect$3) near5 (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:05
S58	2	"20040022082".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 12:20
S59	7	first same second same lower adj latency same higher adj latency	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 14:49
S60	78	lower adj latency same higher adj latency	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:10

S61	81495	((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:09
S62	42556	(match$3 equat$3) near5 (latenc$3 rate lag $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 14:50
S63	31	S60 same S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:04
S64	0	S60 same S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:04
S65	5	S60 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:04
S66	1556	S61 same S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:09
S67	1	S60 and S66	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:10
S68	7062	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 12:27
S69	93	S66 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:39

S70	54	buffer near5 programmable near3 depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:43
S71	45	buffer near5 programmable near3 depth same (watermark threshold maximum minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:43
S72	45	buffer near5 programmable near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 12:27
S73	20	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:59
S74	2	"5956492".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 15:51
S75	4	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling) same (overflow underflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:00
S76	4	"7107392".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 15:58
S77	47	buffer with programmable with depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 16:01

S78	0	S77 and (content adj addressable adj memory (cam))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 16:01
S79	200	buffer with programmable with depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 16:01
S80	3	S79 and (content adj addressable adj memory (cam))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 16:50
S81	2	"5673396".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 16:50
S82	2	"6883099".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 11:33
S83	7356	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:08
S84	48	buffer near5 programmable near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 12:28
S85	2	S83 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 12:45

S86	3	unused near3 buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:17
S87	141	buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:55
S88	10	S87 same latenc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:13
S89	7721	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:08
S90	4	S87 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:08
S91	6	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:14
S92	252	(programmable configur $4 reconfigur$4) near3 buffer near3 stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:17
S93	252	(programmable configur $4 reconfigur$4 reprogrammable) near3 buffer near3 stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:18

S94	4	S93 with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:18
S95	4	S93 with latenc$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:18
S96	1	S93 with speed$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:19
S97	8	S89 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 20:19
S98	147	buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:22
S99	8014	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:22
S100	4	S98 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:23
S101	263	(programmable configur$4 reconfigur$4 reprogrammable) near3 buffer near3 stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:22

S102	7	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:23
S103	2	"20060242336".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:37
S104	8	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:41
S105	18	("20040022082" | "20040024960" | "5640515" | "5930359" | "5956492" | "5978355" | "6233250" | "6606666" | "7058757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 12:58
S106	4	search adj hit adj index	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:19
S107	24	search adj hit near3 (index pointer descriptor handle reference flag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:20
S108	5	S107 same ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:21
S109	8326	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:53

S110	775897	((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:53
S111	5	S110 same reply same request same latency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:53
S112	54	S110 same reply same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:54
S113	3	S109 and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 15:54
S115	2	"20060242337".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 15:19
S116	18	("20040022082" | "20040024960" | "5640515" | "5930359" | "5956492" | "5978355" | "6233250" | "6606666" | "7058757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 16:43
S117	8	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:27
S118	8790	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28
S119	44433	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28

S120	14	S119 same ((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28
S121	100610	((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28
S122	52034	(match$3 equat$3) near5 (latenc$3 rate lag $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28
S123	1950	S121 same S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28
S124	8	S119 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:28
S125	79	buffer near5 programmable near3 depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:29
S126	66	buffer near5 programmable near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:29
S127	23	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:29

S128	4	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling) same (overflow underflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:29
S129	257	buffer with programmable with depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:29
S130	4	S129 and (content adj addressable adj memory (cam))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:29
S131	163	buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:30
S132	8790	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:30
S133	4	S131 and S132	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:30
S134	8	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S135	9194	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S136	44814	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49

S137	14	S136 same ((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S138	104847	((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S139	54101	(match$3 equat$3) near5 (latenc$3 rate lag $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S140	2052	S138 same S139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S141	8	S136 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S142	81	buffer near5 programmable near3 depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S143	68	buffer near5 programmable near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:49
S144	24	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50

S145	24	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S146	4	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling) same (overflow underflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S147	265	buffer with programmable with depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S148	4	S147 and (content adj addressable adj memory (cam))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S149	167	buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S150	9194	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S151	4	S149 and S150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 13:50
S152	8	teng-tom$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:54

S153	9323	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S154	44932	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S155	14	S154 same ((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S156	106071	((latenc$3 rate lag$4) near5 (buffer memory queue fifo register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S157	54713	(match$3 equat$3) near5 (latenc$3 rate lag $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S158	2085	S156 same S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S159	8	S154 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S160	81	buffer near5 programmable near3 depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S161	68	buffer near5 programmable near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55

S162	24	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:55
S163	24	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56
S164	4	buffer near5 adjust$3 near3 depth same (watermark threshold maximum minimum ceiling) same (overflow underflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56
S165	274	buffer with programmable with depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56
S166	4	S165 and (content adj addressable adj memory (cam))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56
S167	170	buffer with stage with bypass$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56
S168	9323	710/52-61.ccls. 709/231-234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56
S169	4	S167 and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 13:56

S170	27	("20020018394" | "20020087750" | "20060203532" | "4184051" | "5185863" | "5245572" | "5361343" | "5367494" | "5631343" | "5748539" | "5778419" | "5893927" | "5893929" | "6018478" | "6044429" | "6091660" | "6128728" | "6178132" | "6243799" | "6314046" | "6343352" | "6401167" | "6636935" | "6640292" | "6789175" | "6807590" | "7058863").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 14:18
S171	0	S160 same intermed$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 14:23
S172	67	S160 same (intermed$5 between)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 14:23
S173	3	S168 and S172	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 14:24
S174	44932	(sequential$3 successive cascad$3 chain$3) with ((content adj address$4 adj memory) CAM)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:53
S175	4145	S174 same (latenc$3 rate lag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:53
S176	307	S175 same (buffer memory queue fifo register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:53
S177	3	S168 and S176	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:54
S178	3	S160 and S176	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:54

S179	5	S176 and request same reply	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:55
S180	117	buffer.clm. and programmable.clm. and depth.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:49
S181	58	S180 and signal.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:49
S182	1	S181 and reply.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:50
S183	6	S181 and request.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:50
S184	191	"request.clm.and" reply. clm. and signal.clm. and buffer.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:59
S185	106	request.clm. and reply. clm. and signal.clm. and buffer.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:59
S186	1	S185 and depth.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 17:00

S187	4	S185 and stages.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 17:00
S188	2377	710/52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 17:04
S189	10293	(programmable adjustable dynamic) near4 (buffer fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:03
S190	285	S189 with (depth width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:03
S191	703	S189 with (stage level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:14
S192	24	S190 and S191	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 11:14
S193	18	S189 same align$3 near3 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:12
S194	2	"20070299993"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:13

S195	4	"7210129".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:13
S196	11	(program$6 select$4) near4 (stage) near4 (depth width) with buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:42
S197	11	(program$6 select$4) near4 (stage) near4 (depth width) with (buffer fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:42
S198	17	(program$6 select$4 adjust$4) near4 (stage) near4 (depth width) with (buffer fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:42
S199	6	S198 not S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:43
S200	1730	(program$6 select$4 adjust$4) near4 (depth width latenc$4) with (buffer fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:44
S201	20872	710/1-74.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:45
S202	113	S200 and S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 12:45

4/23/2009 3:48:20 PM
C:\Documents and Settings\dmartinez\My Documents\EAST\Workspaces\10-680171 Cascaded Buffers.wsp